






HANSA**CLINICA**


Installation and maintenance guide





4502 2186



I (ISO 3822)
EN 817
50 - 1000 kPa
0.207 l/s (300 kPa)
70 kPa (0.1 l/s)
max. +90°C



mpi.hansa.com/45022186

4502 2185


I (ISO 3822)
EN 817
50 - 1000 kPa
0.207 l/s (300 kPa)
70 kPa (0.1 l/s)
max. +90°C



mpi.hansa.com/45022185

4501 2186

I (ISO 3822)
EN 817
50 - 1000 kPa
0.207 l/s (300 kPa)
70 kPa (0.1 l/s)
max. +90°C





mpi.hansa.com/45012186



4502 2183


I (ISO 3822)
 EN 817
 50 - 1000 kPa
 0.207 l/s (300 kPa)
 70 kPa (0.1 l/s)
 max. +90°C



mpi.hansa.com/45022183

4501 2183



I (ISO 3822)
 EN 817
 50 - 1000 kPa
 0.207 l/s (300 kPa)
 70 kPa (0.1 l/s)
 max. +90°C



mpi.hansa.com/45012183

4523 2185

I (ISO 3822)
 EN 817
 50 - 1000 kPa
 0.207 l/s (300 kPa)
 70 kPa (0.1 l/s)
 max. +90°C




mpi.hansa.com/45232185



4501 2185


I (ISO 3822)
EN 817
50 - 1000 kPa
0.207 l/s (300 kPa)
70 kPa (0.1 l/s)
max. +90°C










mpi.hansa.com/45012185

4522 2185

I (ISO 3822)
EN 817
50 - 1000 kPa
0.207 l/s (300 kPa)
70 kPa (0.1 l/s)
max. +90°C









mpi.hansa.com/45222185






① ② ③













3



5






















3

②

⑤⑥







cleaning.hansa.com

Oras Group is a powerful European provider of sanitary fittings: the market leader in the Nordics and a leading company in Continental Europe. The company's mission is to make the use of water easy and sustainable and its vision is to become the European leader of advanced sanitary fittings. Oras Group has two strong brands: Oras and Hansa.

The Group's head office is located in Rauma, Finland, and the Group has three manufacturing sites: Kralovice (Czech Republic), Olesno (Poland) and Rauma (Finland). Oras Group employs approximately 1,200 people in twenty countries. Oras Group is owned by Oras Invest, a family company and an industrial owner.

HANSA Armaturen GmbH
P. O. BOX 81 02 40
D-70519 Stuttgart
Sigmaringer Strasse 107
D-70567 Stuttgart
Tel.: +49 711 16 14 0
Fax: +49 711 16 14 368
info@hansa.de
www.hansa.com



943346D-05-22